

Package: autoReg (via r-universe)

August 25, 2024

Type Package

Title Automatic Linear and Logistic Regression and Survival Analysis

Version 0.3.4

URL <https://github.com/cardiomoon/autoReg>,
<https://cardiomoon.github.io/autoReg/>

BugReports <https://github.com/cardiomoon/autoReg/issues>

Description Make summary tables for descriptive statistics and select explanatory variables automatically in various regression models. Support linear models, generalized linear models and cox-proportional hazard models. Generate publication-ready tables summarizing result of regression analysis and plots. The tables and plots can be exported in ``HTML``, ``pdf('LaTeX')``, ``docx('MS Word')`` and ``pptx('MS Powerpoint')`` documents.

License GPL-3

LazyData true

Encoding UTF-8

Imports moonBook(>= 0.3.0), nortest, dplyr, crayon, stringr, tidyr, purrr, survival, mice, officer, flextable, rlang, patchwork, ggplot2, boot, broom, tidycmprsk, scales, maxstat, pammttools

Suggests knitr, finalfit, lme4, TH.data, rmarkdown, survminer, asaur, cmprsk, PairedData

RoxygenNote 7.2.3

VignetteBuilder knitr

Depends R (>= 2.10)

Repository <https://cardiomoon.r-universe.dev>

RemoteUrl <https://github.com/cardiomoon/autoreg>

RemoteRef HEAD

RemoteSha e3fc7eba663d49165c29b6eb0e62647666b49656

Contents

addFitSummary	3
addLabelData	4
adjustedPlot	5
adjustedPlot.survreg	6
adjustedPlot2	7
adjustedPlot2.survreg	8
anderson	10
anderson1	10
anderson2	11
as_printable	12
autoReg	12
autoRegCox	14
autoRegsurvreg	15
autoReg_sub	16
beNumeric	17
bootPredict	18
countGroups	18
coxzphplot	19
crr2stats	20
crrFormula	20
descNum	21
df2flexible	21
drawline	23
expectedPlot	23
filldown	25
find1stDup	25
findDup	26
fit2final	26
fit2lik	27
fit2list	27
fit2model	28
fit2multi	29
fit2newdata	29
fit2stats	30
fit2summary	31
gaze	32
gaze.formula_sub	34
gazeCat	34
gazeCont	36
gaze_sub	37
getInteraction	38
getN	39
getSigVars	40
ggcmprsk	40
ggcmprsk2	41
highlight2	42

imputedReg	43
is.mynumeric	44
label_parse	45
loglogplot	45
maxnchar	47
modelPlot	47
modelsSummary	49
modelsSummaryTable	49
my.chisq.test2	50
my.t.test2	51
mycphSimple	52
myformat	52
myft	53
mysurvregSimple	54
num2factor	54
num2stat	55
OEplot	56
p2character2	57
print.autoReg	57
print.gaze	58
print.modelPlot	58
printf	59
removeDup	59
residualNull	60
residualPlot	60
restoreData	62
restoreData2	62
restoreData3	63
revOperator	63
roundDf	64
setLabel	64
shorten	65
showEffect	65
strata2df	66
survfit2df	67
survreg2final	68
survreg2multi	68

Index**70**

`addFitSummary`*Add model summary to an object of class gaze*

Description

Add model summary to an object of class gaze

Usage

```
addFitSummary(df, fit, statsname = "")
```

Arguments

```
df          An object of class "gaze" or "autoReg"
fit         An object of class "glm" or "lm" or "crr"
statsname   character Name of statistics
```

Value

addFitSummary returns an object of [gaze](#) or [autoReg](#) - the same class as df

Examples

```
require(survival)
require(dplyr)
data(cancer, package="survival")
fit=coxph(Surv(time, status)~rx+age+sex+nodes+obstruct+perfor, data=colon)
df=autoReg(fit, uni=FALSE)
final=fit2final(fit)
df %>% addFitSummary(final, statsname="HR (final)") %>% myft()
```

addLabelData	<i>Add labels to data</i>
--------------	---------------------------

Description

Add labels to data

Usage

```
addLabelData(data)
```

Arguments

```
data          A data.frame
```

Value

A data.frame

Examples

```
addLabelData(data.frame(ph.ecog=0:3, sex=c(1, 2, 2, 2), age=c(20, 30, 40, 70)))
```

adjustedPlot	<i>Draw an expected plot</i>
--------------	------------------------------

Description

Draw an expected plot

Usage

```
adjustedPlot(
  fit,
  xnames = NULL,
  pred.values = list(),
  newdata = NULL,
  maxy.lev = 5,
  median = TRUE,
  facet = NULL,
  se = FALSE,
  mark.time = FALSE,
  show.median = FALSE,
  type = "ggplot",
  ...
)
```

Arguments

fit	An object of class "coxph" or "survreg"
xnames	Character Names of explanatory variable to plot
pred.values	A list A list of predictor values
newdata	A data.frame or NULL
maxy.lev	Integer Maximum unique length of a numeric variable to be treated as categorical variables
median	Logical
facet	Character Name of facet variable
se	logical Whether or not show se
mark.time	logical Whether or not mark time
show.median	logical
type	Character plot type
...	further arguments to be passed to plot.survfit

Value

A ggplot or no return value(called for side effects)

Examples

```

library(survival)
fit=coxph(Surv(time,status)~rx+logWBC,data=anderson)
adjustedPlot(fit)
adjustedPlot(fit,xnames="rx",se=TRUE,type="plot")
adjustedPlot(fit,xnames="rx",se=TRUE)
## Not run:
anderson$WBCgroup=ifelse(anderson$logWBC<=2.73,0,1)
anderson$WBCgroup=factor(anderson$WBCgroup,labels=c("low","high"))
anderson$rx=factor(anderson$rx,labels=c("treatment","control"))
fit=coxph(Surv(time,status)~rx,data=anderson)
adjustedPlot(fit,xnames=c("rx"),show.median=TRUE)
fit=coxph(Surv(time,status)~rx*WBCgroup,data=anderson)
adjustedPlot(fit,xnames=c("rx","WBCgroup"),show.median=TRUE)
adjustedPlot(fit,xnames=c("rx","WBCgroup"),facet="WBCgroup",show.median=TRUE)
data(cancer,package="survival")
fit=coxph(Surv(time,status)~rx+strata(sex)+age+differ,data =colon)
adjustedPlot(fit,xnames=c("sex"))
adjustedPlot(fit,xnames=c("sex"),pred.values=list(age=58,differ=3))
adjustedPlot(fit,xnames=c("sex","rx"),facet="sex")
adjustedPlot(fit,xnames=c("rx","sex","differ"),facet=c("sex","rx"),se=TRUE)
fit <- coxph(Surv(start, stop, event) ~ rx + number + size+ cluster(id), data = bladder2)
adjustedPlot(fit,xnames=c("rx","number","size"),facet=c("rx","size"),maxy.lev=8)

## End(Not run)

```

adjustedPlot.survreg *Draw predicted survival curve with an object survreg*

Description

Draw predicted survival curve with an object survreg

Usage

```

adjustedPlot.survreg(
  x,
  xnames = NULL,
  pred.values = list(),
  maxy.lev = 5,
  median = TRUE,
  newdata = NULL,
  addCox = FALSE,
  legend.position = "topright",
  xlim = NULL,
  ylim = NULL
)

```

Arguments

x	An object of class survreg
xnames	Character Names of explanatory variable to plot
pred.values	A list A list of predictor values
maxy.lev	Integer Maximum unique length of a numeric variable to be treated as categorical variables
median	Logical
newdata	A data.frame or NULL
addCox	logical Whether or not add KM
legend.position	Character Default value is "topright"
xlim	numeric
ylim	numeric

Value

No return value, called for side effects

Examples

```

library(survival)
x=survreg(Surv(time, status) ~ rx, data=anderson,dist="exponential")
adjustedPlot(x)
adjustedPlot(x,addCox=TRUE)
## Not run:
x=survreg(Surv(time, status) ~ sex, data=lung,dist="weibull")
adjustedPlot(x,addCox=TRUE)
x=survreg(Surv(time, status) ~ rx, data=anderson,dist="exponential")
adjustedPlot(x)
x=survreg(Surv(time, status) ~ ph.ecog + age + sex, data=lung, dist="weibull")
adjustedPlot(x)
adjustedPlot(x,addCox=TRUE)
adjustedPlot(x,pred.values=list(age=c(20,40,60,80),sex=2,ph.ecog=3),addCox=TRUE)
newdata=data.frame(ph.ecog=0:3,sex=c(1,2,2,2),age=c(20,40,60,80))
adjustedPlot(x,newdata=newdata,addCox=TRUE)

## End(Not run)

```

adjustedPlot2

Draw a survfitted plot

Description

Draw a survfitted plot

Usage

```
adjustedPlot2(fit, se = FALSE, mark.time = FALSE)
```

Arguments

fit	An object of class coxph or survfit
se	logical Whether or not show se
mark.time	logical Whether or not mark time

Value

a ggplot

Examples

```
library(survival)
fit=coxph(Surv(time,status)~rx+logWBC,data=anderson)
plot(survfit(fit),conf.int=TRUE)
adjustedPlot2(fit,se=TRUE)
```

adjustedPlot2.survreg *Draw predicted survival curve as a ggplot with an object survreg*

Description

Draw predicted survival curve as a ggplot with an object survreg

Usage

```
adjustedPlot2.survreg(  
  x,  
  xnames = NULL,  
  pred.values = list(),  
  maxy.lev = 5,  
  newdata = NULL,  
  addCox = FALSE,  
  autovar = TRUE,  
  legend.position = NULL,  
  facet = NULL  
)
```

Arguments

x	An object of class survreg
xnames	Character Names of explanatory variable to plot
pred.values	A list A list of predictor values
maxy.lev	Integer Maximum unique length of a numeric variable to be treated as categorical variables
newdata	A data.frame or NULL
addCox	logical Whether or not add KM
autovar	logical
legend.position	Character Default value is "topright"
facet	Character name(s) of facet variable(s)

Value

A ggplot

Examples

```

library(survival)
x=survreg(Surv(time, status) ~ rx, data=anderson,dist="exponential")
adjustedPlot(x,type="plot")
adjustedPlot(x)
adjustedPlot(x,addCox=TRUE)
## Not run:
x=survreg(Surv(time, status) ~ sex, data=lung,dist="weibull")
adjustedPlot(x,addCox=TRUE)
x=survreg(Surv(time, status) ~ rx, data=anderson,dist="exponential")
adjustedPlot(x,addCox=TRUE)
x=survreg(Surv(time, status) ~ ph.ecog + age + sex, data=lung, dist="weibull")
pred.values=list(ph.ecog=0:3,sex=1:2,age=c(20,40,60,80))
adjustedPlot(x)
adjustedPlot(x,addCox=TRUE)
adjustedPlot(x,addCox=TRUE,xnames=c("ph.ecog","sex"),facet="sex")
adjustedPlot(x,pred.values=pred.values,addCox=TRUE,legend.position="top")+xlim(c(1,1000))
adjustedPlot(x,pred.values=pred.values,xnames=c("ph.ecog","sex","age"),facet=c("ph.ecog","sex"))
adjustedPlot(x,pred.values=pred.values,xnames=c("ph.ecog","sex","age"),facet=c("age","sex"))
adjustedPlot(x,pred.values=pred.values,addCox=TRUE)
adjustedPlot(x,addCox=TRUE)
adjustedPlot(x,pred.values=list(age=c(20,40,60,80),sex=1,ph.ecog=3),addCox=TRUE)

## End(Not run)

```

anderson	<i>Remission survival times of 42 leukemia patients</i>
----------	---

Description

A dataset containing survival time of 42 leukemia patients

Usage

anderson

Format

A data.frame with 42 rows and 5 variables

time survival time in weeks

status censoring status 1=failure 0=censored

sex sex 0=Female 1=Male

logWBC log white blood cell count

rx treatment status 1=control 0=treatment

Source

David G. Kleinbaum and Mitchel Klein. Survival Analysis. A Self-Learning Text(3rd ed)(Springer,2012)
ISBN: 978-1441966452

anderson1	<i>Remission survival times of 42 leukemia patients</i>
-----------	---

Description

A dataset containing survival time of 42 leukemia patients This data is the same data with anderson, but sex and rx variable are factors not numeric

Usage

anderson1

Format

A data.frame with 42 rows and 5 variables

time survival time in weeks

status censoring status 1=failure 0=censored

sex sex "Female" or "Male"

logWBC log white blood cell count

rx treatment status "treatment" or "control"

Source

David G. Kleinbaum and Mitchel Klein. Survival Analysis. A Self-Learning Text(3rd ed)(Springer,2012)
ISBN: 978-1441966452

anderson2

Remission survival times of 31 leukemia patients

Description

This data is subdata of anderson with medium($2.3 < \log WBC \leq 2.96$) and high WBC count($\log WBC > 2.96$)

Usage

anderson2

Format

A data.frame with 31 rows and 6 variables

time survival time in weeks

status censoring status 1=failure 0=censored

sex sex 0=Female 1=Male

logWBC log white blood cell count

rx treatment status 1=control 0=treatment

WBCCAT WBC count group 1=medium 2=high

Details

A dataset containing survival time of 31 leukemia patients

Source

David G. Kleinbaum and Mitchel Klein. Survival Analysis. A Self-Learning Text(3rd ed)(Springer,2012)
ISBN: 978-1441966452

as_printable	<i>Convert data.frame to printable form</i>
--------------	---

Description

Calculate character length and apply all data

Usage

```
as_printable(  
  data,  
  align.first = "left",  
  align.chr = "right",  
  align.num = "right"  
)
```

Arguments

data	A data.frame
align.first	character Alignment of first variable
align.chr	character Alignment of character variable
align.num	character Alignment of numeric variable

Value

A data.frame

Examples

```
as_printable(mtcars)  
as_printable(iris)
```

autoReg	<i>Perform univariable and multivariable regression and stepwise backward regression automatically</i>
---------	--

Description

Perform univariable and multivariable regression and stepwise backward regression automatically

Usage

```

autoReg(x, ...)

## S3 method for class 'lm'
autoReg(x, ...)

## S3 method for class 'glm'
autoReg(x, ...)

## S3 method for class 'coxph'
autoReg(x, ...)

## S3 method for class 'survreg'
autoReg(x, ...)

```

Arguments

x	An object of class lm, glm or coxph
...	Further arguments

Value

autoReg returns an object of class "autoReg" which inherits from the class "data.frame" with at least the following attributes:

attr(*,"yvars) character. name of dependent variable

attr(*,"model") name of model. One of "lm", "glm" or "coxph"

Methods (by class)

- autoReg(lm): S3 method for a class lm
- autoReg(glm): S3 method for a class glm
- autoReg(coxph): S3 method for a class coxph
- autoReg(survreg): S3 method for a class survreg

Examples

```

data(cancer, package="survival")
fit=glm(status~rx+sex+age+obstruct+nodes, data=colon, family="binomial")
autoReg(fit)
autoReg(fit, uni=FALSE, final=TRUE)
autoReg(fit, uni=FALSE, imputed=TRUE)
fit=lm(mpg~wt*hp+am+I(wt^2), data=mtcars)
autoReg(fit, final=TRUE)
autoReg(fit, imputed=TRUE)

```

autoRegCox *perform automatic regression for a class of coxph*

Description

perform automatic regression for a class of coxph

Usage

```
autoRegCox(
  x,
  threshold = 0.2,
  uni = FALSE,
  multi = TRUE,
  final = FALSE,
  imputed = FALSE,
  keepstats = FALSE,
  ...
)
```

Arguments

x	An object of class coxph
threshold	numeric
uni	logical whether or not perform univariable regression
multi	logical whether or not perform multivariable regression
final	logical whether or not perform stepwise backward elimination
imputed	logical whether or not perform multiple imputation
keepstats	logical whether or not keep statistic
...	Further arguments to be passed to gaze()

Value

autoRegCox returns an object of class "autoReg" which inherits from the class "data.frame" with at least the following attributes:

attr(*,"yvars) character. name of dependent variable

attr(*,"model") name of model. One of "lm", "glm" or "coxph"

Examples

```
require(survival)
require(dplyr)
data(cancer)
fit=coxph(Surv(time,status==2)~log(bili)+age+cluster(edema),data=psc)
autoReg(fit)
```

```

fit=coxph(Surv(time,status)~rx+age+sex+nodes+obstruct+perfor,data=colon)
autoReg(fit)
autoReg(fit,uni=TRUE,threshold=1)
autoReg(fit,uni=TRUE,final=TRUE) %>% myft()
data(colon_s,package="finalfit")
fit=coxph(Surv(time,status)~age.factor+sex.factor+obstruct.factor+perfor.factor,data=colon_s)
autoReg(fit,uni=TRUE,threshold=1)
autoReg(fit,uni=TRUE,imputed=TRUE)

```

autoRegsurvreg	<i>perform automatic regression for a class of survreg</i>
----------------	--

Description

perform automatic regression for a class of survreg

Usage

```

autoRegsurvreg(
  x,
  threshold = 0.2,
  uni = FALSE,
  multi = TRUE,
  final = FALSE,
  imputed = FALSE,
  keepstats = FALSE,
  mode = 1,
  ...
)

```

Arguments

x	An object of class survreg
threshold	numeric
uni	logical whether or not perform univariable regression
multi	logical whether or not perform multivariable regression
final	logical whether or not perform stepwise backward elimination
imputed	logical whether or not perform multiple imputation
keepstats	logical whether or not keep statistic
mode	integer
...	Further arguments to be passed to gaze()

Value

autoRegSurvreg returns an object of class "autoReg" which inherits from the class "data.frame" with at least the following attributes:

attr(*,"yvars") character. name of dependent variable

attr(*,"model") name of model. One of "lm","glm","coxph" or "survreg"

Examples

```
require(survival)
require(dplyr)
data(cancer)
fit=survreg(Surv(time,status)~rx+age+sex+nodes+obstruct+perfor,data=colon)
autoReg(fit)
autoReg(fit,uni=TRUE,threshold=1)
autoReg(fit,uni=TRUE,final=TRUE)
autoReg(fit,uni=TRUE,final=TRUE) %>% myft()
## Not run:
autoReg(fit,mode=2)
autoReg(fit,uni=TRUE,threshold=1,,mode=2)
autoReg(fit,uni=TRUE,final=TRUE,mode=2)
autoReg(fit,uni=TRUE,final=TRUE,mode=2) %>% myft()
autoReg(fit,final=TRUE,imputed=TRUE) %>% myft()
autoReg(fit,final=TRUE,imputed=TRUE,mode=2) %>% myft()

## End(Not run)
```

autoReg_sub	<i>Perform univariable and multivariable regression and stepwise backward regression automatically</i>
-------------	--

Description

Perform univariable and multivariable regression and stepwise backward regression automatically

Usage

```
autoReg_sub(
  fit,
  threshold = 0.2,
  uni = FALSE,
  multi = TRUE,
  final = FALSE,
  imputed = FALSE,
  keepstats = FALSE,
  showstats = TRUE,
  ...
)
```

Arguments

fit	An object of class lm or glm
threshold	numeric
uni	logical whether or not perform univariate regression
multi	logical whether or not perform multivariate regression
final	logical whether or not perform stepwise backward elimination
imputed	logical whether or not include imputed model
keepstats	logical whether or not keep statistics
showstats	logical whether or not show descriptive statistics
...	Further arguments to be passed to imputedReg()

Value

An object of class "autoReg" which inherits from the class "data.frame" with at least the following attributes:

attr(*,"yvars) character. name of dependent variable

attr(*,"model") name of model. One of "lm","glm" or "coxph"

beNumeric

Whether a string vector can be converted to numeric

Description

Whether a string vector can be converted to numeric

Usage

```
beNumeric(x)
```

Arguments

x A string vector

Value

A logical vector

bootPredict	<i>Bootstrap simulation for model prediction</i>
-------------	--

Description

Generate model predictions against a specified set of explanatory levels with bootstrapped confidence intervals.

Usage

```
bootPredict(fit, newdata, R = 100, type = "response", ...)
```

Arguments

fit	An object of class lm or glm
newdata	A data.frame
R	Number of simulations. Note default R=100 is very low.
type	he type of prediction required, see predict.glm. The default for glm models is on the scale of the response variable. Thus for a binomial model the default predictions are predicted probabilities.
...	Further arguments to be passed to boot::boot

Value

An object of class "data.frame"

Examples

```
data(GBSG2, package="TH.data")
fit=glm(cens~horTh+pnodes, data=GBSG2, family="binomial")
newdata=expand.grid(horTh=factor(c(1,2), labels=c("no", "yes")), pnodes=1:51)
bootPredict(fit, newdata)
library(survival)
fit=coxph(Surv(time, cens)~age+horTh+progrec+pnodes, data=GBSG2)
```

countGroups	<i>Count groups</i>
-------------	---------------------

Description

Count groups

Usage

```
countGroups(data, yvars)
```

Arguments

data	A data.frame
yvars	variable names

Value

An object of class "tibble"

Examples

```
library(moonBook)
countGroups(acs, "sex")
countGroups(acs, c("sex", "Dx"))
```

 coxzphplot

Graphical Test of Proportional Hazards

Description

This is a ggplot version of plot.cox.zph. Displays a graph of the scaled Schoenfeld residuals, along with a smooth curve.

Usage

```
coxzphplot(x, resid = TRUE, se = TRUE, var = NULL, hr = FALSE, add.lm = FALSE)
```

Arguments

x	result of the cox.zph function.
resid	a logical value, if TRUE the residuals are included on the plot, as well as the smooth fit.
se	a logical value, if TRUE, confidence bands at two standard errors will be added.
var	The set of variables for which plots are desired. It can be integer or variable names
hr	logical If true, plot for hazard ratio, If false, plot for coefficients
add.lm	logical If true, add linear regression line

Value

A faceted ggplot

Examples

```
library(survival)
vfit <- coxph(Surv(time,status) ~ trt + factor(celltype) + karno + age, data=veteran, x=TRUE)
x <- cox.zph(vfit)
coxzphplot(x)
coxzphplot(x, var="karno", add.lm=TRUE)
```

crr2stats	<i>Extract statistics from an object of class crr</i>
-----------	---

Description

Extract statistics from an object of class crr

Usage

```
crr2stats(x, digits = 2)
```

Arguments

x	an object of class crr
digits	integer indication the position of decimal place

Value

An object of class "data.frame"

Examples

```
data(melanoma, package="boot")
melanoma$status_crr=ifelse(melanoma$status==1,1,ifelse(melanoma$status==2,0,2))
x=crrFormula(time+status_crr~age+sex+thickness+ulcer,data=melanoma)
crr2stats(x)
```

crrFormula	<i>Competing Risk Regression with Formula</i>
------------	---

Description

Competing Risk Regression with Formula

Usage

```
crrFormula(x, data, ...)
```

Arguments

x	formula time+status~explanatory variables
data	data a data.frame
...	Further arguments to be passed to crr

Value

An object of class "tidycrr" which is described in [crr](#)

Examples

```
data(melanoma, package="boot")
melanoma$status_crr=ifelse(melanoma$status==1,1,ifelse(melanoma$status==2,0,2))
crrFormula(time+status_crr~age+sex+thickness+ulcer,data=melanoma)
```

descNum	<i>Make description for numeric summary</i>
---------	---

Description

Make description for numeric summary

Usage

```
descNum(method = 1, p = NULL)
```

Arguments

method	numeric
p	A numeric or NULL

Value

A character vector of length 1

df2flectable	<i>Convert data.frame to flectable</i>
--------------	--

Description

Convert data.frame to flectable

Usage

```
df2flextable(
  df,
  vanilla = FALSE,
  fontname = NULL,
  fontsize = 12,
  add.rownames = FALSE,
  even_header = "transparent",
  odd_header = "#5B7778",
  even_body = "#EFEFEF",
  odd_body = "transparent",
  vlines = TRUE,
  colorheader = FALSE,
  digits = 2,
  digitp = 3,
  align_header = "center",
  align_body = "right",
  align_rownames = "left",
  NA2space = TRUE,
  pcol = NULL,
  ...
)
```

Arguments

df	A data.frame
vanilla	A Logical
fontname	Font name
fontsize	font size
add.rownames	logical. Whether or not include rownames
even_header	background color of even_header
odd_header	background color of even_header
even_body	background color of even_body
odd_body	background color of even_body
vlines	Logical. Whether or not draw vertical lines
colorheader	Logical. Whether or not use color in header
digits	integer indicating the number of decimal places
digitp	integer indicating the number of decimal places of p values
align_header	alignment of header. Expected value is one of 'left', 'right', 'center', 'justify'.
align_body	alignment of body. Expected value is one of 'left', 'right', 'center', 'justify'.
align_rownames	alignment of rownames. Expected value is one of 'left', 'right', 'center', 'justify'.
NA2space	A logical. If true, convert NA value to space

pcol An integer indicating p value. If specified, convert value less than 0.01 to "< 0.001" in given column.

... further arguments to be passed to [flextable](#)

Value

An object of class "flextable" which is described in [flextable](#)

drawline	<i>draw line character</i>
----------	----------------------------

Description

draw line character

Usage

```
drawline(n)
```

Arguments

n Numeric

Value

No return value, called for side effects

Examples

```
drawline(10)
```

expectedPlot	<i>Draw an adjusted Plot for a numeric predictor</i>
--------------	--

Description

Select cutpoint for a numeric predictor with `maxstat.test()` and draw survival plot with this cutpoint

Usage

```

expectedPlot(
  fit,
  xname = NULL,
  no = 2,
  maxy.lev = 5,
  median = TRUE,
  mark.time = FALSE,
  se = FALSE,
  type = "ggplot",
  ...
)

```

Arguments

<code>fit</code>	An object of class "coxph"
<code>xname</code>	Character Name of explanatory variable to plot
<code>no</code>	integer Number of groups to be made
<code>maxy.lev</code>	Integer Maximum unique length of a numeric variable to be treated as categorical variables
<code>median</code>	Logical
<code>mark.time</code>	logical Whether or not mark time
<code>se</code>	logical Whether or not show se
<code>type</code>	Character "plot" or "ggplot"
<code>...</code>	further arguments to be passed to <code>plot.survfit</code>

Value

No return value, called for side effects

Examples

```

library(survival)
data(cancer, package="survival")
fit=coxph(Surv(time,status)~age+sex,data =colon)
expectedPlot(fit,xname="age")
fit=coxph(Surv(time,status)~rx+logWBC,data=anderson)
expectedPlot(fit,xname="logWBC",no=3)

```

filldown	<i>filldown vector with lead value</i>
----------	--

Description

filldown vector with lead value

Usage

```
filldown(x, what = c("", NA))
```

Arguments

x	a vector
what	Values to be filled

Value

A vector with the same class as x

Examples

```
x=rep(1:5,each=3)
x=removeDup(x,NA)
filldown(x)
```

find1stDup	<i>Find first duplicated position</i>
------------	---------------------------------------

Description

Find first duplicated position

Usage

```
find1stDup(x)
```

Arguments

x	a vector
---	----------

Value

A logical vector

Examples

```
x=rep(1:5,each=3)
which(find1stDup(x))
```

findDup	<i>Find duplicated term</i>
---------	-----------------------------

Description

Find duplicated term

Usage

```
findDup(x)
```

Arguments

x	A vector
---	----------

Value

A logical vector

Examples

```
x=rep(1:5, each=3)
findDup(x)
x=c(6,x)
findDup(x)
which(!findDup(x))
```

fit2final	<i>Make final model using stepwise backward elimination</i>
-----------	---

Description

Make final model using stepwise backward elimination

Usage

```
fit2final(fit, threshold = 0.2)
```

Arguments

fit	An object of class "coxph"
threshold	Numeric

Value

An object of class "coxph" which is described in [coxph](#)

Examples

```
require(survival)
data(cancer)
fit=coxph(Surv(time,status)~age+sex+obstruct+perfor,data=colon)
final=fit2final(fit)
fit2summary(final)
```

fit2lik	<i>extract likelihood information with a coxph object</i>
---------	---

Description

extract likelihood information with a coxph object

Usage

```
fit2lik(x)
```

Arguments

x An object of class "coxph" or "survreg"

Value

A string

Examples

```
library(survival)
fit=coxph(Surv(time,status) ~rx,data=anderson)
fit2lik(fit)
```

fit2list	<i>Make a list of univariable model with multivariable regression model</i>
----------	---

Description

Make a list of univariable model with multivariable regression model

Usage

```
fit2list(fit)
```

Arguments

fit An object of class "lm" or "glm"

Value

An object of class "fitlist" which is a list of objects of class "lm" or "glm"

Examples

```
library(survival)
data(cancer)
fit=glm(status~rx+sex+age+obstruct+nodes,data=colon,family="binomial")
fit2list(fit)
fit=lm(mpg~wt*hp+am,data=mtcars)
fit2list(fit)
```

fit2model

Restore fit model data containing AsIs expressions

Description

Restore fit model data containing AsIs expressions

Usage

```
fit2model(fit)
```

Arguments

`fit` An object of class "lm", "glm" or "coxph"

Value

An object of class "data.frame"

Examples

```
require(survival)
pbc$status2=ifelse(pbc$status==2,1,0)
fit=coxph(Surv(time,status2)~age+log(bili),data=pbc)
fit2model(fit)
```

fit2multi	<i>Make multivariable regression model by selecting univariable models with p.value below threshold</i>
-----------	---

Description

Make multivariable regression model by selecting univariable models with p.value below threshold

Usage

```
fit2multi(fit, threshold = 0.2)
```

Arguments

fit	An object of class "coxph"
threshold	Numeric

Value

An object of class "coxph"

Examples

```
require(survival)
data(cancer)
fit=coxph(Surv(time,status)~age+sex+obstruct+perfor,data=colon)
fit2multi(fit)
```

fit2newdata	<i>Make a new data of mean value or most frequent value</i>
-------------	---

Description

Make a new data of mean value or most frequent value

Usage

```
fit2newdata(
  fit,
  xnames = NULL,
  pred.values = list(),
  maxy.lev = 5,
  median = TRUE,
  digits = 1
)
```

Arguments

fit	An object of class "coxph"
xnames	character Names of explanatory variable to plot
pred.values	A list A list of predictor values
maxy.lev	Integer Maximum unique length of a numeric variable to be treated as categorical variables
median	logical If TRUE, select median value for numerical variable. Otherwise select most frequent value
digits	integer indicating the number of decimal places

Value

A data.frame

Examples

```
require(survival)
data(cancer, package="survival")
fit=coxph(Surv(time, status)~rx+sex+age, data=colon)
fit=coxph(Surv(time, status)~rx+age+strata(sex), data=colon)
fit=survreg(Surv(time, status) ~ ph.ecog + age + sex, data=lung, dist="weibull")
fit2newdata(fit)
fit2newdata(fit, pred.values=list(sex=0, age=58))
fit2newdata(fit, pred.values=list(age=c(20, 40, 60, 80), sex=2, ph.ecog=3))
```

fit2stats

Summarize statistics with a model

Description

Summarize statistics with a model

Usage

```
fit2stats(fit, method = "default", digits = 2, mode = 1)
```

Arguments

fit	An object of class lm or glm or coxph or survreg
method	character choices are one of the c("likelihood", "wald")
digits	integer indicating the number of decimal places
mode	integer

Value

An object of class "data.frame"

Examples

```

library(survival)
data(cancer)
fit=glm(status~rx+sex+age+obstruct+nodes,data=colon,family="binomial")
fit2stats(fit)
fit=lm(mpg~wt*hp+am,data=mtcars)
fit2stats(fit)
fit=survreg(Surv(time,status)~rx+sex+age+obstruct+nodes,data=colon)
fit2stats(fit)

```

fit2summary

Summarize statistics with a model or model list

Description

Summarize statistics with a model or model list

Usage

```
fit2summary(fit, mode = 1, ...)
```

Arguments

fit	An object of class "lm" or "glm" or "fitlist" which is a result of fit2list
mode	integer
...	Further argument to be passed to fit2stats

Value

An object of class "data.frame"

Examples

```

library(survival)
data(cancer)
fit=glm(status~rx+sex+age+obstruct+nodes,data=colon,family="binomial")
fit2summary(fit)
fitlist=fit2list(fit)
fit2summary(fitlist)
fit=survreg(Surv(time,status)~rx+sex+age+obstruct+nodes,data=colon)
fit2summary(fit)

```

`gaze`*Produce table for descriptive statistics*

Description

Produce table for descriptive statistics by groups for several variables easily. Depending on the nature of these variables, different descriptive statistical methods were used (t-test, ANOVA, Kruskal-Wallis, chi-squared, Fisher's,...)

Usage

```
gaze(x, ...)  
  
## S3 method for class 'formula'  
gaze(x, ...)  
  
## S3 method for class 'data.frame'  
gaze(x, ...)  
  
## S3 method for class 'coxph'  
gaze(x, ...)  
  
## S3 method for class 'survreg'  
gaze(x, ...)  
  
## S3 method for class 'glm'  
gaze(x, ...)  
  
## S3 method for class 'lm'  
gaze(x, ...)  
  
## S3 method for class 'tidycrr'  
gaze(x, ...)
```

Arguments

<code>x</code>	An R object, formula or data.frame
<code>...</code>	arguments to be passed to gaze.data.frame or gaze.formula

Value

An object of class "gaze" which inherits from the class "data.frame" with at least the following attributes:

attr(*,"yvars) character. name of dependent variable

Methods (by class)

- gaze(formula): S3 method for formula
- gaze(data.frame): default S3 method
- gaze(coxph): default S3 method
- gaze(survreg): default S3 method
- gaze(glm): default S3 method
- gaze(lm): default S3 method
- gaze(tidycrr): default S3 method

Examples

```

library(moonBook)
library(dplyr)
gaze(acs)
gaze(~age+sex,data=acs)
gaze(sex~.,data=acs,digits=1,method=1,show.p=TRUE) %>% myft()

gaze(sex~age+Dx,data=acs)
gaze(EF~.,data=acs) %>% myft()
gaze(sex+Dx~.,data=acs,show.p=TRUE) %>% myft()
gaze(sex+Dx~.,data=acs)
gaze(Dx+sex~cardiogenicShock,data=acs,show.p=TRUE) %>% myft()
gaze(Dx+sex+HBP~cardiogenicShock,data=acs,show.p=TRUE)
gaze(~mpg+cyl,data=mtcars)
gaze(~.,data=mtcars)
gaze(cyl~.,data=mtcars,show.p=TRUE)
gaze(hp~.,data=mtcars)
gaze(cyl+am~.,data=mtcars)

library(survival)
x=coxph(Surv(time,status) ~rx,data=anderson1)
gaze(x)
x=coxph(Surv(time,status) ~rx*logWBC,data=anderson1)
gaze(x)
library(survival)
x=survreg(Surv(time, status) ~ rx, data=anderson,dist="exponential")
gaze(x)
x=survreg(Surv(time, status) ~ ph.ecog + age + sex, lung)
gaze(x)
data(cancer,package="survival")
fit=glm(status~rx+sex+age+obstruct+nodes,data=colon,family="binomial")
gaze(fit)
fit=lm(mpg~wt*hp+am+I(wt^2),data=mtcars)
gaze(fit)
data(melanoma,package="boot")
melanoma$status_crr=ifelse(melanoma$status==1,1,ifelse(melanoma$status==2,0,2))
fit=crrFormula(time+status_crr~age+sex+thickness+ulcer,data=melanoma)
gaze(fit)

```

gaze.formula_sub	<i>Produce table for descriptive statistics</i>
------------------	---

Description

Produce table for descriptive statistics by groups for several variables easily. Depending on the nature of these variables, different descriptive statistical methods were used (t-test, ANOVA, Kruskal-Wallis, chi-squared, Fisher's, ...)

Usage

```
## S3 method for class 'formula_sub'
gaze(x, data, missing = FALSE, ...)
```

Arguments

x	An object of class "formula". Left side of ~ must contain the name of one grouping variable or two grouping variables in an additive way (e.g. sex+group~), and the right side of ~ must have variables in an additive way.
data	A data.frame
missing	logical If true, missing value analysis performed
...	Further arguments to be passed to gaze()

Value

An object of class "gaze" which inherits from the class "data.frame" with at least the following attributes:

attr(*,"yvars) character. name of dependent variable

gazeCat	<i>Summary function for categorical variable</i>
---------	--

Description

Summary function for categorical variable

Usage

```
gazeCat(
  data,
  x,
  y = NULL,
  max.ylev = 5,
  digits = 1,
  show.total = FALSE,
  show.n = FALSE,
  show.missing = FALSE,
  show.stats = TRUE,
  origData = NULL,
  show.p = TRUE,
  method = 1,
  catMethod = 2,
  maxCatLevel = 20,
  ...
)
```

Arguments

<code>data</code>	A data frame
<code>x</code>	Name of a categorical variable
<code>y</code>	Name of a variable, either continuous or categorical
<code>max.ylev</code>	<code>max.ylev</code> An integer indicating the maximum number of levels of grouping variable ('y'). If a column have unique values less than <code>max.ylev</code> it is treated as a categorical variable. Default value is 5.
<code>digits</code>	Numeric
<code>show.total</code>	logical. Whether or not show total column
<code>show.n</code>	logical. Whether or not show N column
<code>show.missing</code>	logical. Whether or not show missing column
<code>show.stats</code>	logical. Whether or not show stats column
<code>origData</code>	A data.frame containing original data
<code>show.p</code>	logical. Whether or not show p column
<code>method</code>	<code>method</code> An integer indicating methods for continuous variables. Possible values in methods are 1 forces analysis as normal-distributed 2 forces analysis as continuous non-normal 3 performs a Shapiro-Wilk test or <code>nortest::ad.test</code> to decide between normal or non-normal Default value is 1.
<code>catMethod</code>	An integer indicating methods for categorical variables. Possible values in methods are <ul style="list-style-type: none"> 0 Perform <code>chisq.test</code> first. If warning present, perform fisher test 1 Perform <code>chisq.test</code> without continuity correction 2 Perform <code>chisq.test</code> with continuity correction 3 perform fisher.test

	4 perform prop.trend test
	Default value is 2.
maxCatLevel	An integer indicating the maximum number of unique levels of categorical variable. If a column have unique values more than maxCatLevel, categorical summarization will not be performed.
...	Further arguments

Value

An object of class "data.frame" or "tibble"

Examples

```
require(moonBook)
gazeCat(acs, "Dx")
gazeCat(acs, "Dx", "smoking")
gazeCat(acs, "sex", "Dx", show.p=TRUE)
gazeCat(acs, "Dx", "sex", show.p=TRUE)
gazeCat(acs, "Dx", "EF")
gazeCat(acs, "sex", "EF", method=2)
gazeCat(mtcars, "cyl", "hp")
```

gazeCont

Summary function for continuous variable

Description

Summary function for continuous variable

Usage

```
gazeCont(
  data,
  x,
  y = NULL,
  max.ylev = 5,
  digits = 1,
  show.total = FALSE,
  show.n = FALSE,
  show.missing = FALSE,
  show.stats = TRUE,
  show.p = TRUE,
  method = 1,
  origData,
  ...
)
```

Arguments

<code>data</code>	A data.frame
<code>x</code>	A name of variable
<code>y</code>	A name of variable, either continuous or categorical
<code>max.ylev</code>	<code>max.ylev</code> An integer indicating the maximum number of levels of grouping variable ('y'). If a column have unique values less than <code>max.ylev</code> it is treated as a categorical variable. Default value is 5.
<code>digits</code>	integer indicating the number of decimal places
<code>show.total</code>	logical. Whether or not show total column
<code>show.n</code>	logical. Whether or not show N column
<code>show.missing</code>	logical. Whether or not show missing column
<code>show.stats</code>	logical. Whether or not show stats column
<code>show.p</code>	logical. Whether or not show p column
<code>method</code>	<code>method</code> An integer indicating methods for continuous variables. Possible values in methods are 1 forces analysis as normal-distributed 2 forces analysis as continuous non-normal 3 performs a Shapiro-Wilk test or <code>nortest::ad.test</code> to decide between normal or non-normal Default value is 1.
<code>origData</code>	A data.frame containing original data
<code>...</code>	Further arguments

Value

An object of class "data.frame" or "tibble"

Examples

```
gazeCont(mtcars, "hp")
gazeCont(mtcars, "hp", "mpg")
require(moonBook)
gazeCont(acs, "log(age)")
gazeCont(acs, "age", method=2)
gazeCont(acs, "age", "EF", method=2)
gazeCont(acs, "age", "Dx", method=1)
gazeCont(acs, "age", "Dx", show.p=TRUE, method=3)
```

gaze_sub

Summary function for categorical/continuous variable

Description

Summary function for categorical/continuous variable

Usage

```
gaze_sub(data, xname, y = NULL, max.ylev = 5, autoCat = FALSE, ...)
```

Arguments

data	A data.frame
xname	A name of categorical/continuous vector
y	A name of vector, either continuous or categorical
max.ylev	max.ylev An integer indicating the maximum number of levels of grouping variable ('y'). If a column have unique values less than max.ylev it is treated as a categorical variable. Default value is 5.
autoCat	logical Whether or not use is.mynumeric() to determine whether a variable is numeric or not
...	Further arguments to be passed to gazeCont() or gazeCat()

Value

An object of class "data.frame" or "tibble"

Examples

```
require(moonBook)
gaze_sub(acs, "age")
gaze_sub(acs, "log(age)")
gaze_sub(acs, "I(age^2)")
gaze_sub(acs, "sex")
gaze_sub(acs, "age", "EF")
gaze_sub(acs, "sex", "EF")
gaze_sub(acs, "age", "Dx")
gaze_sub(acs, "sex", "Dx")
gaze_sub(iris, "Species", "Sepal.Length")
gaze_sub(mtcars, "am")
gaze_sub(mtcars, "am", autoCat=TRUE)
```

getInteraction	<i>Get interaction data from data</i>
----------------	---------------------------------------

Description

Get interaction data from data

Usage

```
getInteraction(name, data)
```

Arguments

name	a string with interaction term
data	a data.frame

Value

An object of class "data.frame"

Examples

```
data(acs, package="moonBook")
getInteraction("TC:Dx:sex", data=acs)
```

getN

Get number of data specified by 'name' and 'desc'

Description

Get number of data specified by 'name' and 'desc'

Usage

```
getN(name, desc, data)
```

Arguments

name	a string with interaction term
desc	character
data	a data.frame

Value

A numeric vector

Examples

```
data(acs, package="moonBook")
df=getInteraction("TC:Dx:sex", data=acs)
getN(name=df$name, desc=df$desc, data=acs)
```

getSigVars	<i>Get explanatory variables of a model with significance level below the threshold</i>
------------	---

Description

Get explanatory variables of a model with significance level below the threshold

Usage

```
getSigVars(fit, threshold = 0.2, final = TRUE)
```

Arguments

fit	An object of class lm or glm
threshold	Numeric
final	logical if true, perform stepwise regression using step()

Value

A list containing the following components:

sigVars names of explanatory variables which have significant levels below the threshold in uni-variable model

finalVars names of explanatory variables included in final model as a result of [step](#)

Examples

```
library(survival)
data(cancer, package="survival")
fit=glm(status~rx+sex+age+obstruct+nodes, data=colon, family="binomial")
getSigVars(fit)
fit=lm(mpg~hp*wt+am, data=mtcars)
getSigVars(fit)
```

ggcmprsk	<i>Draw Cumulative Incidence Curves for Competing Risks</i>
----------	---

Description

Draw Cumulative Incidence Curves for Competing Risks

Usage

```
ggcmprsk(x, data, id = NULL, se = FALSE, strata = NULL, facet = NULL, ...)
```

Arguments

x	A formula as time+status~1
data	A data.frame
id	character vector label for status
se	logical whether or not show confidence interval
strata	character vector label for strata
facet	numeric if facet is not NULL, draw plot with selected facets
...	Further arguments to be passed to tidycmprsk::cuminc

Value

An object of class "ggplot"

Examples

```
data(melanoma, package="boot")
melanoma$status1 = ifelse(melanoma$status==1, 1, ifelse(melanoma$status==2, 0, 2))
melanoma$years=melanoma$time/365

ggcmprsk(years+status1~1, data=melanoma)
ggcmprsk(years+status1~1, data=melanoma, id=c("alive", "melanoma", "other"), se=TRUE)
ggcmprsk(years+status1~sex, data=melanoma)
ggcmprsk(years+status1~sex, data=melanoma, facet=1)
ggcmprsk(years+status1~sex, data=melanoma,
id=c("alive", "melanoma", "other"), strata=c("female", "male"))
ggcmprsk(years+status1~sex, data=melanoma,
id=c("alive", "melanoma", "other"), strata=c("female", "male"), facet=1)
```

ggcmprsk2

Compare cumulative incidence to th Kaplan-Meier estimate

Description

Compare cumulative incidence to th Kaplan-Meier estimate

Usage

```
ggcmprsk2(
  x,
  data,
  id = c("disease", "other"),
  se = FALSE,
  xpos = c(2, 2),
  ypos = c(0.25, 0.7),
  ylabs = NULL,
```

```

  xlab = NULL,
  label = NULL,
  plot = TRUE
)

```

Arguments

<code>x</code>	A formula as time+status~1
<code>data</code>	A data.frame
<code>id</code>	Character vector of length 2
<code>se</code>	logical whether or not show confidence interval
<code>xpos</code>	numeric x-axis position of label
<code>ypos</code>	numeric y-axis position of label
<code>ylabs</code>	string vector of length 2. y axis labels
<code>xlab</code>	A character. The x-axis label
<code>label</code>	string vector of length 2. Label names
<code>plot</code>	logical Whether or not print plot

Value

A list containing the following components:

df A long-form data.frame consist of time, est, upper,lower, id, method
df3 A data.frame for label consist of x, y, label, id
p A ggplot object

Examples

```

require(dplyr)
data(prostateSurvival,package="asaur")
prostateHighRisk <- prostateSurvival %>%
  filter(grade=="poor" & stage=="T2",ageGroup=="80+")
prostateHighRisk$years=prostateHighRisk$survTime/12
ggcmprsk2(years+status~1,data=prostateHighRisk,
  id=c("prostate cancer","other causes"))

```

highlight2

Highlight a data.frame

Description

Highlight a data.frame

Usage

```
highlight2(x, i = NULL, j = NULL, style = NULL, include.colname = FALSE)
```

Arguments

x	A data.frame
i	numeric rows to highlight
j	numeric columns to highlight
style	A style function or NULL
include.colname	logical Whether or not include colname

Value

a data.frame

Examples

```
head(mtcars) %>% highlight2(i=3) %>% printdf()
library(crayon)
head(mtcars) %>% highlight2(i=2) %>% highlight2(j=3,style=blue$bold) %>% printdf()
fit=lm(mpg~wt*hp,data=mtcars)
gaze(fit)
gaze(fit) %>% highlight2(j=4,include.colname=TRUE)
gaze(fit) %>% highlight2(i=2,j=4) %>% highlight2(i=2,j=2:3,style=blue$bold)
gaze(fit) %>% highlight2(i=2) %>% highlight2(j=3,style=blue$bold)
```

imputedReg	<i>Make a multiple imputed model</i>
------------	--------------------------------------

Description

Make a multiple imputed model

Usage

```
imputedReg(fit, data = NULL, m = 20, seed = 1234, digits = 2, mode = 1, ...)
```

Arguments

fit	An object of class lm, glm, coxph or survreg
data	a data.frame
m	Number of multiple imputations. The default is m=20.
seed	An integer that is used as argument by the set.seed() for offsetting the random number generator.
digits	Integer indicating the number of decimal place
mode	integer indicating summary mode of class survreg
...	Further argument to be passed to mice

Value

An object of class "imputedReg" which inherits from the class "data.frame"

Examples

```
data(cancer, package="survival")
fit=glm(status~rx+sex+age+obstruct+nodes, data=colon, family="binomial")
imputedReg(fit)

library(survival)
fit=coxph(Surv(time, status)~rx+age+sex+nodes+obstruct+perfor, data=colon)
imputedReg(fit)
fit=survreg(Surv(time, status)~rx+age+sex+nodes+obstruct+perfor, data=colon)
imputedReg(fit)
imputedReg(fit, mode=2)
```

is.mynumeric

Decide whether a vector can be treated as a numeric variable

Description

Decide whether a vector can be treated as a numeric variable

Usage

```
is.mynumeric(x, maxy.lev = 5)
```

Arguments

x	A vector
maxy.lev	An integer indicating the maximum number of unique values of a numeric variable be treated as a categorical variable

Value

A logical value

Examples

```
x=1:5
is.mynumeric(x)
x=1:13
is.mynumeric(x)
```

label_parse	<i>takes the breaks as input and returns labels as output</i>
-------------	---

Description

takes the breaks as input and returns labels as output

Usage

```
label_parse(breaks)
```

Arguments

breaks character

Value

a character vector

loglogplot	<i>Draw log-log plot</i>
------------	--------------------------

Description

Draw log-log plot

Usage

```
loglogplot(  
  fit,  
  xnames = NULL,  
  main = NULL,  
  labels = NULL,  
  no = 3,  
  add.loess = FALSE,  
  add.lm = TRUE,  
  type = "l",  
  se = TRUE,  
  what = "surv",  
  legend.position = NULL,  
  ...  
)
```

Arguments

<code>fit</code>	An object of class "coxph" or "survfit"
<code>xnames</code>	character Names of explanatory variable to plot
<code>main</code>	String Title of plot
<code>labels</code>	String vector Used as legend in legend
<code>no</code>	Numeric The number of groups to be converted
<code>add.loess</code>	logical If true, add loess regression line
<code>add.lm</code>	logical If true, add linear regression line
<code>type</code>	character "l" or "p"
<code>se</code>	logical If true, add se
<code>what</code>	character One of <code>c("surv","survOdds","failureOdds")</code>
<code>legend.position</code>	legend position. One of <code>c("left","top","bottom","right")</code> or numeric vector of length 2.
<code>...</code>	Furhter arguments to be passed to <code>plot()</code>

Value

A ggplot or no return value, called for side effects

Examples

```
require(survival)
data(cancer,package="survival")
fit=coxph(Surv(time,status)~x,data=leukemia)
loglogplot(fit)
fit=survfit(Surv(time,status)~1,data=anderson)
loglogplot(fit)
fit=survfit(Surv(time,status)~sex,data=anderson)
loglogplot(fit)
fit=survfit(Surv(time,status)~logWBC,data=anderson)
loglogplot(fit)
loglogplot(fit,no=2)
fit=survfit(Surv(time,status)~logWBC+rx,data=anderson)
loglogplot(fit,no=2)
fit=survfit(Surv(time,status)~rx,data=anderson)
loglogplot(fit,type="p")
fit=survfit(Surv(time,status)~WBCCAT,data=anderson2)
loglogplot(fit,type="p",what="survOdds")
loglogplot(fit,type="p",what="failureOdds")
```

maxnchar	<i>Return maximum character number except NA</i>
----------	--

Description

Return maximum character number except NA

Usage

```
maxnchar(x)
```

Arguments

x a vector

Value

A numeric vector of length 1

Examples

```
x=c(1,2,"sadf",NA)
maxnchar(x)
data(acs,package="moonBook")
lapply(acs,maxnchar)
```

modelPlot	<i>Draw coefficients/odds ratio/hazard ratio plot</i>
-----------	---

Description

Draw coefficients/odds ratio/hazard ratio plot

Usage

```
modelPlot(
  fit,
  widths = NULL,
  change.pointsize = TRUE,
  show.OR = TRUE,
  show.ref = TRUE,
  bw = TRUE,
  legend.position = "top",
  ...
)
```

Arguments

<code>fit</code>	An object of class <code>glm</code>
<code>widths</code>	Numeric vector
<code>change.pointsize</code>	logical Whether or not change point size
<code>show.OR</code>	logical Whether or not show odds ratio
<code>show.ref</code>	logical Whether or not show reference
<code>bw</code>	logical If true, use grey scale
<code>legend.position</code>	legend position default value is 'top'
<code>...</code>	Further arguments to be passed to <code>autoReg()</code>

Value

`modelPlot` returns an object of class "modelPlot" An object of class `modelPlot` is a list containing at least of the following components:

tab1 The first table containing names

tab2 The 2nd table containing levels

tab3 The 3rd table containing coefficients or odds ratio or hazards ratio

p A `ggplot`

widths the widths of the tables and the `ggplot`

Examples

```
fit=lm(mpg~wt*hp+am,data=mtcars)
modelPlot(fit,widths=c(1,0,2,3))
modelPlot(fit,uni=TRUE,threshold=1,widths=c(1,0,2,3))
fit=lm(Sepal.Width~Sepal.Length*Species,data=iris)
modelPlot(fit)
modelPlot(fit,uni=TRUE,change.pointsize=FALSE)

data(cancer,package="survival")
fit=glm(status~rx+age+sex+nodes+obstruct+perfor,data=colon,family="binomial")
modelPlot(fit)
modelPlot(fit,uni=TRUE,multi=TRUE,threshold=1)
modelPlot(fit,multi=TRUE,imputed=TRUE,change.pointsize=FALSE)
data(colon_s,package="finalfit")
fit=glm(mort_5yr~age.factor+sex.factor+obstruct.factor+perfor.factor,data=colon_s,family="binomial")
modelPlot(fit)
modelPlot(fit,uni=TRUE,multi=TRUE,threshold=1)
modelPlot(fit,uni=TRUE,multi=TRUE)
modelPlot(fit,uni=TRUE,multi=TRUE,threshold=1,show.ref=FALSE)
library(survival)
fit=coxph(Surv(time,status)~rx+age+sex+obstruct+perfor,data=colon)
modelPlot(fit)
modelPlot(fit,uni=TRUE,threshold=1)
modelPlot(fit,multi=FALSE,final=TRUE,threshold=1)
```

```

fit=coxph(Surv(time,status)~age.factor+sex.factor+obstruct.factor+perfor.factor,data=colon_s)
modelPlot(fit)
modelPlot(fit,uni=TRUE,threshold=1)
modelPlot(fit,uni=TRUE,threshold=1,show.ref=FALSE)
modelPlot(fit,imputed=TRUE)

```

modelsSummary	<i>Makes table summarizing list of models</i>
---------------	---

Description

Makes table summarizing list of models

Usage

```
modelsSummary(fitlist, show.lik = FALSE)
```

Arguments

fitlist	A list of objects of class "coxph"
show.lik	logical Whether or not show likelihood test results

Value

No return value, called for side effects

Examples

```

library(survival)
fit1=coxph(Surv(time,status) ~rx,data=anderson)
fit2=coxph(Surv(time,status) ~rx+logWBC,data=anderson)
fit3=coxph(Surv(time,status) ~rx*logWBC,data=anderson)
fitlist=list(fit1,fit2,fit3)
modelsSummary(fitlist)

```

modelsSummaryTable	<i>Makes flextable summarizing list of models</i>
--------------------	---

Description

Makes flextable summarizing list of models

Usage

```
modelsSummaryTable(fitlist, labels = NULL, show.lik = FALSE)
```

Arguments

fitlist	A list of objects of class "coxph"
labels	character labels of models
show.lik	logical Whether or not show likelihood test results

Value

A flextable

Examples

```
library(survival)
fit1=coxph(Surv(time,status) ~rx,data=anderson)
fit2=coxph(Surv(time,status) ~rx+logWBC,data=anderson)
fit3=coxph(Surv(time,status) ~rx*logWBC,data=anderson)
fitlist=list(fit1,fit2,fit3)
modelsSummaryTable(fitlist)
```

my.chisq.test2	<i>Statistical test for categorical variables Statistical test for categorical variables</i>
----------------	--

Description

Statistical test for categorical variables Statistical test for categorical variables

Usage

```
my.chisq.test2(x, y, catMethod = 2, all = FALSE)
```

Arguments

x	a vector
y	a vector
catMethod	An integer indicating methods for categorical variables. Possible values in methods are <ul style="list-style-type: none"> 0 Perform chisq.test first. If warning present, perform fisher test 1 Perform chisq.test without continuity correction 2 Perform chisq.test with continuity correction 3 perform fisher.test 4 perform prop.trend test Default value is 2.
all	A logical

Value

A numeric vector of length 1

Examples

```
library(moonBook)
x=acs$sex
y=acs$Dx
my.chisq.test2(x,y)
```

my.t.test2

Statistical test for continuous variables

Description

Statistical test for continuous variables

Usage

```
my.t.test2(y, x, method = 1, all = FALSE)
```

Arguments

y	a categorical vector
x	a numeric vector
method	method An integer indicating methods for continuous variables. Possible values in methods are 1 forces analysis as normal-distributed 2 forces analysis as continuous non-normal 3 performs a Shapiro-Wilk test or nortest::ad.test to decide between normal or non-normal Default value is 1.
all	A logical

Value

A numeric vector of length 1

Examples

```
library(moonBook)
y=acs$sex
x=acs$height
my.t.test2(y,x)
```

mycphSimple

Fit Simple Proportional Hazards Regression Model

Description

Fit Simple Proportional Hazards Regression Model

Usage

```
mycphSimple(fit, threshold = 0.2, digits = 2)
```

Arguments

fit	An object of class coxph
threshold	numeric p-value threshold to enter multiple model
digits	integer indicating the position decimal place

Value

An object of class "data.frame"

Examples

```
require(survival)
data(cancer)
fit=coxph(Surv(time,status)~age+sex+obstruct+perfor,data=colon)
mycphSimple(fit)
```

myformat

Convert data.frame to printable format

Description

Convert data.frame to printable format

Usage

```
myformat(x, showid = FALSE, digits = 3)
```

Arguments

x	A data.frame
showid	logical if TRUE, show id
digits	Integer indicating the number of decimal places

Value

A data.frame

Examples

```
fit=lm(mpg~wt*hp,data=mtcars)
gaze(fit) %>% myformat()
```

myft

Convert data.frame into flextable

Description

Convert data.frame into flextable

Usage

```
myft(x, vanilla = TRUE, fontsize = 10, digits, showid = FALSE, ...)
```

Arguments

x	A data.frame
vanilla	logical
fontsize	Numeric
digits	integer indicating the position of decimal place
showid	logical if TRUE, show id
...	Further arguments to be passed to df2flextable()

Value

An object of class `flextable`

Examples

```
data(acs,package="moonBook")
library(dplyr)
gaze(acs) %>% myft()
gaze(sex~.,acs) %>% myft()
fit=lm(mpg~hp*wt,data=mtcars)
gaze(fit) %>% myft()
library(survival)
fit=coxph(Surv(time,status) ~rx,data=anderson1)
gaze(fit) %>% myft()

gaze(sex+Dx~.,data=acs,show.p=TRUE,show.total=TRUE,show.n=TRUE,shiw.missing=TRUE) %>% myft()
gaze(Dx+sex~cardiogenicShock,data=acs,show.p=TRUE) %>% myft()
gaze(Dx+sex+HBP~cardiogenicShock,data=acs,show.p=TRUE) %>% myft()
```

mysurvregSimple	<i>Fit Simple AFT Model</i>
-----------------	-----------------------------

Description

Fit Simple AFT Model

Usage

```
mysurvregSimple(fit, threshold = 0.2, digits = 2, mode = 1)
```

Arguments

fit	An object of class survreg
threshold	numeric p-value threshold to enter multiple model
digits	integer indicating the position decimal place
mode	integer

Value

An object of class "data.frame"

Examples

```
require(survival)
data(cancer)
fit=survreg(Surv(time,status)~rx+age+strata(sex)+obstruct+perfor,data=colon)
mysurvregSimple(fit)
```

num2factor	<i>Convert a numeric column in a data.frame to a factor</i>
------------	---

Description

Convert a numeric column in a data.frame to a factor

Usage

```
num2factor(data, call, name, no = 3)
```

Arguments

data	A data.frame
call	a function call
name	character Name of numeric column
no	numeric

Value

A data.frame

Examples

```
num2factor(anderson,name="logWBC")
library(survival)
fit=coxph(Surv(time,status)~logWBC+rx,data=anderson)
num2factor(anderson,call=fit$call,name="logWBC",no=2)
```

num2stat

Summarize numeric vector to statistical summary

Description

Summarize numeric vector to statistical summary

Usage

```
num2stat(x, digits = 1, method = 1, p = NULL)
```

Arguments

x	A numeric vector
digits	integer indicating the number of decimal places
method	An integer indicating methods for continuous variables. Possible values in methods are 1 forces analysis as normal-distributed 2 forces analysis as continuous non-normal 3 performs a Shapiro-Wilk test or nortest::ad.test to decide between normal or non-normal Default value is 1.
p	A numeric

Value

A character vector of length 1

Examples

```
library(moonBook)
num2stat(acs$age)
num2stat(acs$age,method=2)
```

OEplot

Draw an Observed vs Expected plot

Description

Draw an Observed vs Expected plot

Usage

```
OEplot(fit, xnames = NULL, no = 3, maxy.lev = 5, median = TRUE)
```

Arguments

<code>fit</code>	An object of class "coxph"
<code>xnames</code>	Character Names of explanatory variable to plot
<code>no</code>	integer Number of groups to be made
<code>maxy.lev</code>	Integer Maximum unique length of a numeric variable to be treated as categorical variables
<code>median</code>	logical

Value

No return value, called for side effects

Examples

```
library(survival)
data(cancer, package="survival")
fit=coxph(Surv(time, status)~rx+age+sex, data=colon)
OEplot(fit)
OEplot(fit, xnames="sex")
## Not run:
fit=coxph(Surv(time, status)~age, data=colon)
OEplot(fit)
fit=coxph(Surv(time, status)~logWBC, data=anderson)
OEplot(fit)

## End(Not run)
```

p2character2	<i>Change p value to string</i>
--------------	---------------------------------

Description

Change p value to string

Usage

```
p2character2(x, digits = 3, add.p = TRUE)
```

Arguments

x	a numeric
digits	integer indicating decimal place
add.p	logical

Value

A character vector

print.autoReg	<i>S3 method print for an object of class autoReg</i>
---------------	---

Description

S3 method print for an object of class autoReg

Usage

```
## S3 method for class 'autoReg'
print(x, ...)
```

Arguments

x	An object of class autoReg
...	Further arguments

Value

No return value, called for side effects

Examples

```
data(cancer, package="survival")
fit=glm(status~rx+sex+age+obstruct+nodes, data=colon, family="binomial")
autoReg(fit)
```

print.gaze	<i>S3 method print for an object of class gaze</i>
------------	--

Description

S3 method print for an object of class gaze

Usage

```
## S3 method for class 'gaze'  
print(x, ...)
```

Arguments

x	An object of class gaze
...	Further arguments

Value

No return value, called for side effects

Examples

```
data(acs, package="moonBook")  
x=gaze(acs, show.n=TRUE, show.missing=TRUE)  
gaze(sex~., acs, show.p=TRUE, show.n=TRUE, show.missing=TRUE, show.total=TRUE)  
  
gaze(Dx+sex~., acs, show.p=TRUE)  
gaze(sex+Dx+HBP~., acs, show.p=TRUE)
```

print.modelPlot	<i>S3 method for an class modelPlot</i>
-----------------	---

Description

S3 method for an class modelPlot

Usage

```
## S3 method for class 'modelPlot'  
print(x, ...)
```

Arguments

x	An object of class modelPlot
...	Further arguments to be passed to plot()

printf	<i>Print function for data.frame</i>
--------	--------------------------------------

Description

Print function for data.frame

Usage

```
printf(x)
```

Arguments

x A data.frame

Value

No return value, called for side effects

Examples

```
x=mtcars[1:5,1:5]
printf(x)
```

removeDup	<i>Remove duplicated term</i>
-----------	-------------------------------

Description

Remove duplicated term

Usage

```
removeDup(x, replacement = "")
```

Arguments

x A vector
replacement A character to be replaced or NA

Value

A vector with the same class as x

Examples

```
x=rep(1:5,each=3)
removeDup(x)
```

residualNull	<i>Make a residual plot of NULL model</i>
--------------	---

Description

Make a residual plot of NULL model

Usage

```
residualNull(x, add.log = TRUE, type = "martingale")
```

Arguments

x	An object of class coxph
add.log	logical If true, log of predictor variables are added
type	character type of residuals

Examples

```
library(survival)
data(pharmacoSmoking, package="asaur")
pharmacoSmoking$priorAttemptsT=pharmacoSmoking$priorAttempts
pharmacoSmoking$priorAttemptsT[pharmacoSmoking$priorAttemptsT>20]=20
x=coxph(Surv(ttr, relapse)~age+priorAttemptsT+longestNoSmoke, data=pharmacoSmoking)
residualNull(x)
```

residualPlot	<i>Draw a residual plot with an object of class coxph</i>
--------------	---

Description

Draw a residual plot with an object of class coxph

Usage

```
residualPlot(
  fit,
  type = "martingale",
  vars = NULL,
  ncol = 2,
  show.point = TRUE,
  se = TRUE,
  topn = 5,
  labelsize = 4
)
```

Arguments

fit	An object of class coxph or survreg
type	character One of the c("martingale", "deviance", "score", "schoenfeld", "dfbeta", "dfbetas", "scaledsch", "partial"). Default value is "martingale".
vars	character Names of variables to plot. default value is NULL
ncol	numeric number of columns
show.point	logical Whether or not show point
se	logical Whether or not show se
topn	numeric number of data to be labelled
labelsize	numeric size of label

Value

A patchwork object

Examples

```

require(survival)
data(cancer)
fit=coxph(Surv(time, status==2)~log(bili)+age+cluster(edema), data=dbc)
residualPlot(fit)
residualPlot(fit, vars="age")
fit=coxph(Surv(time, status==2)~age, data=dbc)
residualPlot(fit)
residualPlot(fit, "partial")
fit=coxph(Surv(time, status)~rx+sex+logWBC, data=anderson)
residualPlot(fit, ncol=3)
## Not run:
data(pharmacoSmoking, package="asaur")
fit=coxph(Surv(ttr, relapse)~grp+employment+age, data=pharmacoSmoking)
residualPlot(fit)
residualPlot(fit, var="age")
residualPlot(fit, type="dfbeta")
residualPlot(fit, type="dfbeta", var="age")
residualPlot(fit, type="dfbeta", var="employment")
residualPlot(fit, type="dfbeta", var="employmentother")
pharmacoSmoking$ttr[pharmacoSmoking$ttr==0]=0.5
fit=survreg(Surv(ttr, relapse)~grp+age+employment, data=pharmacoSmoking, dist="weibull")
residualPlot(fit, type="response")
residualPlot(fit, type="deviance")
residualPlot(fit, type="dfbeta", vars="age")
fit=survreg(Surv(time, status)~ph.ecog+sex*age, data=lung, dist="weibull")
residualPlot(fit, "dfbeta")
residualPlot(fit, "deviance")

## End(Not run)

```

restoreData	<i>restore data with factor in column name</i>
-------------	--

Description

restore data with factor in column name

Usage

```
restoreData(data)
```

Arguments

data	An object of class "data.frame"
------	---------------------------------

Value

An object of class "data.frame"

restoreData2	<i>restore data with I() in column name</i>
--------------	---

Description

restore data with I() in column name

Usage

```
restoreData2(df)
```

Arguments

df	An object of class "data.frame"
----	---------------------------------

Value

An object of class "data.frame"

restoreData3	<i>restore data with operator in column name</i>
--------------	--

Description

restore data with operator in column name

Usage

```
restoreData3(df, changeLabel = FALSE)
```

Arguments

df	An object of class "data.frame"
changeLabel	logical

Value

An object of class "data.frame"

revOperator	<i>get opposite arithmetic operator</i>
-------------	---

Description

get opposite arithmetic operator

Usage

```
revOperator(operator)
```

Arguments

operator	A character
----------	-------------

Value

A character

roundDf	<i>Convert numeric columns of data.frame to character</i>
---------	---

Description

Convert numeric columns of data.frame to character

Usage

```
roundDf(df, digits = 2)
```

Arguments

df	a data.frame
digits	integer indicating the number of decimal places

Value

An object of class "data.frame"

setLabel	<i>Add label to a vector</i>
----------	------------------------------

Description

Add label to a vector

Usage

```
setLabel(x, label = "")
```

Arguments

x	a vector
label	string

Value

a labelled vector

shorten	<i>Shorten an object of class gaze</i>
---------	--

Description

Shorten an object of class gaze

Usage

```
shorten(x, xname = NULL, ref = 1)
```

Arguments

x	an object of class gaze
xname	A variable name
ref	Numeric Th number to be used as reference

Value

An object of class "gaze" which is described in [gaze](#)

Examples

```
data(acs, package="moonBook")
x=gaze(sex~., data=acs)
shorten(x)
```

showEffect	<i>Show effects of covariates</i>
------------	-----------------------------------

Description

Show effects of covariates

Usage

```
showEffect(
  fit,
  x = NULL,
  color = NULL,
  facet = NULL,
  autovar = TRUE,
  pred.values = list(),
  se = TRUE,
  logy = TRUE,
  collabel = label_both,
  rowlabel = label_both
)
```

Arguments

fit	An object of class survreg
x	character name of x-axis variable
color	character name of color variable
facet	character name of facet variable
autovar	logical Whether or not select color and facet variable automatically
pred.values	list list of values of predictor variables
se	logical whether or not show se
logy	logical Whether or not draw y-axis on log scale
collabel	labeller for column
rowlabel	labeller for row

Value

A ggplot

Examples

```
library(survival)
library(ggplot2)
fit=survreg(Surv(time,status)~ph.ecog+sex*age,data=lung,dist="weibull")
showEffect(fit)
fit=survreg(Surv(time,status)~rx+sex+age+obstruct+adhere,data=colon,dist="weibull")
showEffect(fit)
showEffect(fit,rowlabel=label_value)
fit=survreg(Surv(time,status)~ph.ecog+sex,data=lung,dist="weibull")
showEffect(fit)
fit=survreg(Surv(time,status)~ph.ecog+age,data=lung,dist="weibull")
showEffect(fit)
fit=survreg(Surv(time,status)~ph.ecog+sex*age,data=lung,dist="weibull")
showEffect(fit,x="age",color="sex",facet="ph.ecog")
showEffect(fit,pred.values=list(age=c(50,60,70),ph.ecog=c(0,3),sex=c(1,2)),
  x="ph.ecog",color="sex",facet="age",autovar=FALSE)
fit=survreg(Surv(time,status)~age,data=lung,dist="weibull")
showEffect(fit)
```

strata2df

Convert a character vector to a data.frame

Description

Convert a character vector to a data.frame

Usage

```
strata2df(strata)
```

Arguments

strata A character vector

Value

A data.frame

survfit2df	<i>Extract survival data from an object of class "survfit"</i>
------------	--

Description

Extract survival data from an object of class "survfit"

Usage

```
survfit2df(fit, labels = NULL)
```

Arguments

fit An object of class "survfit"
 labels Character

Value

A data.frame

Examples

```
library(survival)
data(cancer, package="survival")
fit=survfit(coxph(Surv(time, status)~sex+age+strata(rx), data=colon))
survfit2df(fit)
## Not run:
fit=coxph(Surv(time, status)~sex+age+strata(rx), data=colon)
fit=survfit(as.formula(deparse(fit$terms)), data=fit2model(fit))
survfit2df(fit)
fit=survfit(Surv(time, status)~rx+sex+age, data=colon)
survfit2df(fit)
fit=survfit(Surv(time, status)~1, data=colon)
survfit2df(fit)

## End(Not run)
```

survreg2final	<i>Make final model using stepwise backward elimination</i>
---------------	---

Description

Make final model using stepwise backward elimination

Usage

```
survreg2final(fit, threshold = 0.2)
```

Arguments

fit	An object of class "survreg"
threshold	Numeric

Value

An object of class "survreg" which is described in [survreg](#)

Examples

```
require(survival)
data(cancer)
fit=survreg(Surv(time,status)~rx+age+sex+obstruct+perfor,data=colon)
survreg2final(fit)
```

survreg2multi	<i>Make multivariable regression model by selecting univariable models with p.value below threshold</i>
---------------	---

Description

Make multivariable regression model by selecting univariable models with p.value below threshold

Usage

```
survreg2multi(fit, threshold = 0.2)
```

Arguments

fit	An object of class "survreg"
threshold	Numeric

Value

An object of class "survreg"

Examples

```
require(survival)
data(cancer)
fit=survreg(Surv(time,status)~rx+age+sex+obstruct+perfor,data=colon)
survreg2multi(fit)
```

Index

* datasets

- anderson, 10
- anderson1, 10
- anderson2, 11

addFitSummary, 3
addLabelData, 4
adjustedPlot, 5
adjustedPlot.survreg, 6
adjustedPlot2, 7
adjustedPlot2.survreg, 8
anderson, 10
anderson1, 10
anderson2, 11
as_printable, 12
autoReg, 4, 12
autoReg_sub, 16
autoRegCox, 14
autoRegsurvreg, 15

beNumeric, 17
bootPredict, 18

countGroups, 18
coxph, 26
coxzphplot, 19
crr, 20, 21
crr2stats, 20
crrFormula, 20

descNum, 21
df2flectable, 21
drawline, 23

expectedPlot, 23

filldown, 25
find1stDup, 25
findDup, 26
fit2final, 26
fit2lik, 27
fit2list, 27, 31
fit2model, 28
fit2multi, 29
fit2newdata, 29
fit2stats, 30
fit2summary, 31
flectable, 23, 53

gaze, 4, 32, 65
gaze.formula_sub, 34
gaze_sub, 37
gazeCat, 34
gazeCont, 36
getInteraction, 38
getN, 39
getSigVars, 40
ggcmprsk, 40
ggcmprsk2, 41

highlight2, 42

imputedReg, 43
is.mynumeric, 44

label_parse, 45
loglogplot, 45

maxnchar, 47
modelPlot, 47
modelsSummary, 49
modelsSummaryTable, 49
my.chisq.test2, 50
my.t.test2, 51
mycphSimple, 52
myformat, 52
myft, 53
mysurvregSimple, 54

num2factor, 54
num2stat, 55

OEplot, 56

p2character2, 57
print.autoReg, 57
print.gaze, 58
print.modelPlot, 58
printf, 59

removeDup, 59
residualNull, 60
residualPlot, 60
restoreData, 62
restoreData2, 62
restoreData3, 63
revOperator, 63
roundDf, 64

setLabel, 64
shorten, 65
showEffect, 65
step, 40
strata2df, 66
survfit2df, 67
survreg, 68
survreg2final, 68
survreg2multi, 68